


The Glenrose assembly Instructions

By Laser Dollhouse Designs



Parts



Subfloor and Garage assembly




Stair assemblies



Base



First Floor



First Floor walls



Front and rear roof



Plexiglas inserts



Second Floor



Chimney and second floor stair rails

Parts continued



First floor porch rails



Second Floor walls



Door assemblies



Window and interior frames

Base Floor assembly : (Note; recommend doing a dry assembly prior to gluing. This way you are familiar with the way parts go together.)

Parts Needed:

1. Base floor labeled S1 thru S7
2. Subfloor parts S1 thru S7

Match subfloor parts to base. S1 wall to S1 marked slots on base.
Continue till S1 thru S7 are fitted into the base slots should like figure 1.




figure 1

With base assembled take the first floor and slide tabs on right side into slots Cutout in S7 wall. Then match slots to subfloor tabs on assembled base, should Look like figure 2.

Next take one interior door and place into cutout for door in part S7, then take Garage stairs assembly and place aligned to frame of door. Should look like figure 4
Note: see figure 3 for correct stairs.



figure 3



figure 4

Note if gluing house together complete window frames and Main door Assembly prior to placing walls on first floor.

Next take parts First floor walls and assemble window frames and main door
Insert items 1A through 1F into first floor. Insert spiral stairs. Should look like figure 5

NOTE: Window frames not depicted in figure..



Figure 5

Now take 2nd floor and place on top matching slot with tabs one top of first floor Walls, careful to align spiral stairs as you fit floor. If gluing glue spiral stairs last as you align to opening in 2nd floor. Refer to figure 6



Figure 6

Take stair rails and align to opening on 2nd floor as seen in figure 7




Figure 7

Take 2nd floor walls and insert interior doors into walls 2C and 2D. Then insert walls into 2nd floor base. See figure 8



Figure 8

Take front and rear roof and align to 2nd floor walls see figure 9



Figure 9

Install chimneys on roof, see figure 10



Figure 10

Now assemble dormers and insert into front roof.
See figure 11 install dormer frames on interior
side roof.



Install front stairs and assembly is completed.





Laser Dollhouse Designs
www.laserdollhouses.com
Email: laserdollhouses@aol.com